

<b>L Number</b>	<b>Hits</b>	<b>Search Text</b>	<b>DB</b>	<b>Time stamp</b>
-	1	wong\$.xa. and database same random\$5 same sampl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:26
-	1	"6012058".PN.	USPAT	2003/08/24 17:03
-	20	6012058.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/24 17:19
-	0	6012058.uref. and database same sampl\$3 same subset\$1 and (data near mining)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/24 18:17
-	8	database same random\$5 same sampl\$3 same subset\$1 and (data near mining)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/24 18:03
-	0	6049797.pn	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/24 18:03
-	2	6049797.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/24 18:05
-	2	("6347310").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/24 18:05
-	3	(network same client same server) and database same sampl\$3 same subset\$1 and (data near mining)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/24 18:17

-	0	("5950185" "6026399" "6134541" "6317700" "6430306" "5768581" "5894311" "5995979" "6199063" "6253193" "6363488" "6389402" "6427140" "6138117" "6055539" "6212526" "6442561" "5724573" "5799311" "5978771" "6014647" "6173280" "6185559" "6212526" "6230151" "6292830" "6470287").pn. and random\$5 near function\$1 and subset\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:29
-	0	("6240411" "5418965" "5560007" "5666528" "5608662" "5790121" "5905496" "6014656" "6025843" "6173281" "6243094" "6311173" "5504890" "5592664" "5497486" "5603022" "5678043" "5717915" "6125209" "6411969" "5295261" "5355473" "5568554").pn. and random\$5 near function\$1 and subset\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:29

-	1	("5625815" "5668897" "5692177" "5721896" "5758337" "5794252" "5799184" "5819735" "5835915" "5963956" "6058391" "6283914" "6351453" "6366904" "6374241" "6374267" "6408310" "6430577" "6446090" "6108004" "5986652" "5870737" "5890151" "5913206" "5926813" "5950186").pn. and random\$5 near function\$1 and subset\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:31
-	0	("5960423" "6125370" "6223171" "6223171" "6326962" "5319543" "5311572" "5544298" "4805099" "5287494" "5301315" "5379419" "5481704" "5515531" "5530848" "5664172" "5675789" "5797839" "5812134" "5842218" "5848417" "5950193" "6037938" "6212529").pn. and random\$5 near function\$1 and subset\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:31

-	7	data near mining and (random\$5 near function\$1) and subset\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:35
-	1	(database or data near base) same sampl\$3 and sql same rand and subset\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:36
-	1	(database or data near base) same sampl\$3 and sql same rand same function\$1 and subset\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:37
-	1	sql same rand same function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:37
-	28	707/3,5,6,7,9,10,104.1.ccls. and random\$5 same sampl\$3 same subset\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:32
-	0	(707/3,5,6,7,9,10,104.1.ccls. and random\$5 same sampl\$3 same subset\$1) and rand same sql	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:32
-	159	data same (cluster\$3 or group\$3 or partition\$3) and randomiz\$3 near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 17:11
-	22	database same (cluster\$3 or group\$3 or partition\$3) and randomiz\$3 near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 17:16
-	92	database and (cluster\$3 or group\$3 or partition\$3) and randomiz\$3 near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 17:38
-	0	database near mining and randomiz\$3 near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 17:39

-	1	(olap or mining) and randomiz\$3 near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 17:40
-	146	sampl\$3 and (cluster\$3 or group\$3 or partition\$3) and randomiz\$3 near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 17:46
-	92	database and (cluster\$3 or group\$3 or partition\$3) and randomiz\$3 near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 17:46
-	63	database and sampl\$3 same (cluster\$3 or group\$3 or partition\$3) and randomiz\$3 near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 17:46
-	10	database same record\$1 same random\$8 near (function\$1 or algorithm\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 18:17
-	3	database same record\$1 same randomizing\$1 near (function\$1 or algorithm\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 18:17
-	23	database same record\$1 and randomizing\$1 near (function\$1 or algorithm\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 18:17
-	5686	(subset or group\$3) same data same (database or data near base) and random\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 11:54
-	3099	data near mining or olap\$1 and (identif\$8 or determin\$6) same (subset or group\$3) same data same (database or data near base) and random\$8 same (function\$1 or algorithm\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 11:55
-	3	(data near mining) and (identif\$8 or determin\$6) same (subset or group\$3) same data same (database or data near base) same random\$8 same (function\$1 or algorithm\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 11:58

-	1	(data near mining) and (identif\$8 or determin\$6) same (subset or group\$3) same data same (database or data near base) same (attribut\$1 or field\$1 or column\$1) same (hash\$3 or random\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 11:59
-	101	(data near mining) and (subset or group\$3) same data same (database or data near base) and (attribut\$1 or field\$1 or column\$1) same (hash\$3 or random\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:02
-	37	(data near mining) and (subset or group\$3) same data same (database or data near base) and (attribut\$1 or field\$1 or column\$1) same (hash\$3 or randomizing or randomization\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:30
-	1	(sql near server\$1) same rand near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:31
-	56	rand near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:33
-	14593	rand near function\$1 amd sampl\$3 same (data or record\$1) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:33
-	3	rand near function\$1 and sampl\$3 same (data or record\$1) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:42
-	8	rand near function\$1 same (attribute\$1 or column\$1 or field\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:45
-	14	rand near function\$1 same (data or record\$1 or row\$1 or tuple\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:47
-	3	rand near function\$1 same (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:48

-	3306258	rand near function\$1 same compar\$3 (attribute\$1 or column\$1 or field\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:50
-	0	rand near function\$1 same compar\$3 same (attribute\$1 or column\$1 or field\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:50
-	3	rand near function\$1 same compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:58
-	10	(database or data near base) same (column\$1 or field\$1 or attribute\$1) same (randomizing or randomization\$1 with function\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 13:00
-	126	(data near mining) and (compar\$3) same (record\$1 or row\$1 or tuple\$1) same includ\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 13:03
-	47	(data near mining) and (compar\$3) same (record\$1 or row\$1 or tuple\$1) same includ\$4 and sampl\$3 same (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 13:11
-	24	(olap\$1 or data near warehouse\$3) and (compar\$3) same (record\$1 or row\$1 or tuple\$1) same includ\$4 and sampl\$3 same (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 13:14
-	20	707/6.ccls. and (compar\$3) same (record\$1 or row\$1 or tuple\$1) same includ\$4 and sampl\$3 same (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:14
-	634	(compar\$3) same (record\$1 or row\$1 or tuple\$1) same includ\$4 and sampl\$3 same (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:14
-	240	(compar\$3) with (record\$1 or row\$1 or tuple\$1) with includ\$4 and sampl\$3 with (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:17

-	8	((compar\$3) with (record\$1 or row\$1 or tuple\$1) with inclu\$4 and sampl\$3 with (database or data near base)) and data near mining	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:16
-	3	((compar\$3) with (record\$1 or row\$1 or tuple\$1) with inclu\$4 and sampl\$3 with (database or data near base)) and data near warehouse\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:17
-	1	((compar\$3) with (record\$1 or row\$1 or tuple\$1) with inclu\$4 and sampl\$3 with (database or data near base)) and olap\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:17
-	4	(compar\$3 or scan\$4) with (individual or each or every) with (record\$1 or row\$1 or tuple\$1) with inclu\$4 and sampl\$3 with (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:20
-	121	(compar\$3 or scan\$4) same (individual or each or every) same (record\$1 or row\$1 or tuple\$1) same inclu\$4 and sampl\$3 same (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:43
-	634	(compar\$3 ) same (record\$1 or row\$1 or tuple\$1) same inclu\$4 and sampl\$3 same (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:43
-	344	data with (cluster\$3 or partition\$3 or group\$3 or segmentat\$3) and (compar\$3 ) same (record\$1 or row\$1 or tuple\$1) same inclu\$4 and sampl\$3 same (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:44
-	26	data with (cluster\$3 or partition\$3 or group\$3 or segmentat\$3) same (compar\$3 ) same (record\$1 or row\$1 or tuple\$1) same inclu\$4 and sampl\$3 same (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:52
-	253	data with (cluster\$3 or partition\$3 or group\$3 or segmentat\$3) same (compar\$3 ) same (record\$1 or row\$1 or tuple\$1) same inclu\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:53
-	15	(data with (cluster\$3 or partition\$3 or group\$3 or segmentat\$3) same (compar\$3 ) same (record\$1 or row\$1 or tuple\$1) same inclu\$4 ) and data near mining	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:06
-	7	("5845276"   "6012058"   "6026398"   "6049797"   "6049861"   "6061658"   "6148295").PN.	USPAT	2003/12/18 16:00



-	3	6236985.URPN.	USPAT	2003/12/18 16:01
-	7	("5845276"   "6012058"   "6026398"   "6049797"   "6049861"   "6061658"   "6148295").PN.	USPAT	2003/12/18 16:03
-	2	("6061658").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:07
-	34	data near mining and compar\$3 with record\$1 with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:48
-	4	(subset\$1 or representative) same database and (select\$3 or choos\$3) same (attribute\$1 or column\$1 or field\$1) same (randomizing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:51
-	5	(subset\$1 or group\$1) same (record\$1 or row\$1 or data) same database and (select\$3 or choos\$3) same (attribute\$1 or column\$1 or field\$1) same (randomizing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:52
-	10	(database or data near base) and (select\$3 or choos\$3) same (attribute\$1 or column\$1 or field\$1) same (randomizing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:54
-	3	(database or data near base) same (rand near function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:55
-	8	(attribute\$1 or column\$1 or field\$1) same (rand near function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:57
-	637	(attribute\$1 or column\$1 or field\$1) same (randomization or randomizing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:58
-	15	database same (attribute\$1 or column\$1 or field\$1) same (randomization or randomizing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:58

-	8	(subset\$1 or group\$3) same database and (select\$3 or choos\$3) same (attribute\$1 or column\$1 or field\$1) same (randomization or randomizing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:59
-	79	sampl\$3 with database and (attribute\$1 or column\$1 or field\$1) same (randomization or randomizing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 17:02
-	1	sql same rand near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 17:04
-	202	database and randomiz\$6 near (function\$1 or algorithm\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 17:08
-	48	(database and randomiz\$6 near (function\$1 or algorithm\$1)) and (subset or group\$3 or cluster\$3 or partition\$3) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 17:52
-	5	database and randomizing near function\$1 same hash\$3 same (field\$1 or column\$1 or attribute\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 17:53
-	7	database and randomizing near function\$1 same (field\$1 or column\$1 or attribute\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 17:54
-	1734	database and hash\$3 same (field\$1 or column\$1 or attribute\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 17:55
-	25	database and randomizing same (field\$1 or column\$1 or attribute\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 17:56
-	7	database and hash\$3 same randomizing same (field\$1 or column\$1 or attribute\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 17:56

-	423	database same hash\$3 same (field\$1 or column\$1 or attribute\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 17:56
-	8	database same hash\$3 same (field\$1 or column\$1 or attribute\$1) and randomizing near function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 18:06
-	0	database same hash\$3 same (field\$1 or column\$1 or attribute\$1) and rand near function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 18:06
-	0	database same (field\$1 or column\$1 or attribute\$1) same rand near function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 18:06
-	0	database same (field\$1 or column\$1 or attribute\$1) same rand near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 18:06
-	56	rand near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 18:07
-	2	rand near function\$1 and sql	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 18:08
-	56	rand near function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 18:08
-	14	randomizing with function\$1 same (record\$1 or data) and (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 10:36
-	153	randomizing same (record\$1 or data) and (database or data near base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 10:36
-	1	"5442781".PN.	USPAT	2003/12/19 16:09

-	1	"5544352".PN.	USPAT	2003/12/19 16:09
-	1	"5615341".PN.	USPAT	2003/12/19 16:22
-	357	random\$5 same sample same database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 12:13
-	119	random\$5 same sample same database\$1 same inclu\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 12:14
-	61	(search\$3 or quer\$3) same (database\$1 or data near base\$1) and random\$5 same sample same database\$1 same inclu\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 12:19
-	12	(search\$3 or quer\$3) same (database\$1 or data near base\$1) and random\$5 same function\$1 same sample same database\$1 same inclu\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 12:21
-	0	(search\$3 or quer\$3) same (database\$1 or data near base\$1) and random\$8 same function\$1 same sample same database\$1 same inclu\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 12:26
-	4	(search\$3 or quer\$3) same (database\$1 or data near base\$1) and hash\$3 same function\$1 same sample same database\$1 same inclu\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 12:27